CLAIM AMENDMENTS

Claim 1. (cancelled)

Claim 2. (cancelled)

Claim 3. (cancelled)

Claim 4. (cancelled)

Claim 5. (cancelled)

Claim 6. (currently amended) An article of furniture having a top surface and an opening defined in said top surface; the improvement comprising a receptacle unit adapted to be mounted in said opening in said top surface of said article of furniture; said receptacle unit comprising a top and at least one sidewall extending downwardly from said top, said at least one sidewall having at least one receptacle defined therein; and means for selectively displacing said receptacle unit between a retracted position in which said top of said receptacle unit is planar with said top surface of said article of furniture, and an extended position in which said at least one receptacle in said at least one sidewall of said receptacle unit is elevated above the top surface of said article of furniture,

The improvement as claimed in Claim 1 said improvement further including means for resiliently biasing said receptable unit into said extended position, and cooperating releasable locking means for opposing said means for resiliently biasing for retaining said receptable unit in said retracted position.

- Claim 7. (cancelled)
- Claim 8. (cancelled)
- Claim 9. (cancelled)
- Claim 10. (cancelled)
- Claim 11. (cancelled)
- Claim 12. (cancelled)
- Claim 13. (cancelled)
- Claim 14. (cancelled)
- Claim 15. (cancelled)
- Claim 16. (cancelled)
- Claim 17. (cancelled)

Claim 18. (cancelled)

(currently amended) An article of furniture having a top surface and an opening defined in said top surface; a receptacle unit mounted in said opening in said top surface; said receptacle unit comprising a top and at least one sidewall extending downwardly from said top, said at least one sidewall having at least one receptacle defined therein; means for selectively displacing said receptacle unit between a retracted position in which said top of said receptacle unit is planar with said top surface of said article of furniture, and an extended position in which said at least one receptacle in said at least one sidewall of said receptacle unit is elevated above the top surface of said article of furniture, said housing having an open top and being aligned with said opening defined in said top surface of said article of furniture so as to receive said receptacle unit in said housing when said receptacle unit is in said retracted position, said article of furniture further including means for resiliently biasing said receptacle unit into said extended position, and cooperating releasable locking means for opposing said means for resiliently biasing for retaining said receptacle unit in said retracted position.

Claim 20. (previously presented) The article of furniture as claimed in Claim 19 wherein said housing includes means for coupling said receptacle unit to an external power source.